[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

[Ministry of Employment and Labor Notification No. 2014-28, Partial

Revision]

Standards for High-Pressure Work

https://www.law.go.kr/LSW/admRulInfoP.do?admRulSeq=2200000013208#AJAX

[Effective Date: August 1, 2014]

[Ministry of Employment and Labor Notification No. 2014-28, Partial Revision]

Ministry of Employment and Labor (Industrial Health Standards Division), Contact: 044-202-8873

Article 1 (Purpose)

This notification aims to establish necessary regulations on work hours, decompression speed, and ascent speed for workers engaged in high-pressure chamber work or diving operations, in accordance with Article 46 of the Occupational Safety and Health Act, Article 32-8(2) of the Enforcement Decree of the same Act, and Articles 533, 537, 556, and 557 of the Rules on Occupational Safety and Health Standards.

Article 2 (Definitions)

Unless otherwise specified, the definitions used in this notification follow those established in the **Occupational Safety and Health Act**, its Enforcement Decree, its Enforcement Rules, and the **Rules on Occupational Safety and Health Standards**.

1. "**High-Pressure Time**" refers to the time from the start of pressurization for high-pressure chamber work until the start of decompression.

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

[Ministry of Employment and Labor Notification No. 2014-28, Partial Revision]

- 2. "**Diving Time**" refers to the time from the start of a diving operation until the start of ascent.
- 3. "Inter-Work Gas Pressure Reduction Time" refers to the time required to reduce the internal gas pressure of a worker's body when performing high-pressure chamber or diving work more than once per day.
- 4. "Post-Work Gas Pressure Reduction Time" refers to the time required to reduce the internal gas pressure of a worker's body after completing high-pressure chamber or diving work.

Article 3 (High-Pressure Time)

- Employers must ensure that high-pressure work does not exceed 6
 hours per day and 34 hours per week.
- If high-pressure chamber work is performed no more than twice per day or the chamber pressure does not exceed 4 kg/cm², the time limits specified in Table 1 must not be exceeded.
- If high-pressure chamber work exceeds twice per day or the chamber pressure exceeds 4 kg/cm², the limits specified in Table 2 must be followed.

Article 4 (Gas Pressure Reduction Time for High-Pressure Work)

 Workers who have already performed high-pressure chamber work must be given at least the inter-work gas pressure reduction time specified in Table 1 before performing additional high-pressure work on the same day.

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

[Ministry of Employment and Labor Notification No. 2014-28, Partial Revision]

After completing high-pressure chamber work, workers must be given
at least the post-work gas pressure reduction time specified in Table 1,
during which they must not be assigned heavy labor.

Article 5 (Diving Time)

- Employers must ensure that diving work does not exceed 6 hours per day and 34 hours per week.
- 2. If diving work is performed **twice per day**, the time limits specified in **Table 2** must not be exceeded.
- If diving work exceeds twice per day, adjustments based on Table
 must be made.

Article 6 (Gas Pressure Reduction Time for Diving Work)

- Before assigning workers to another diving task on the same day, they
 must be given at least the inter-work gas pressure reduction
 time specified in Table 2.
- After completing diving work, workers must be given at least the postwork gas pressure reduction time specified in Table 2, during which they must not be assigned heavy labor.

Article 7 (Decompression Speed)

1. The decompression speed for workers in high-pressure chambers must not exceed **0.8 kg/cm² per minute**.

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

[Ministry of Employment and Labor Notification No. 2014-28, Partial Revision]

2. Decompression pauses at specific pressure levels must follow the times specified in **Table 1** and **Table 2**.

Article 8 (Ascent Speed)

- 1. The ascent speed for divers must not exceed **10 meters per minute**.
- 2. Decompression stops at specific depths must follow the times specified in **Table 2**.

Article 9 (Review Period: 3 Years)

This notification will be reviewed for amendments or repeal by **July 31, 2017**, based on changes in legislation or practical conditions.

Supplementary Provisions

This notification takes effect immediately upon issuance on August 1, 2014.

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

[Ministry of Employment and Labor Notification No. 2014-28, Partial

Revision]

【별표 1】

고압실내작업시간

압력		고압	시간			감입	l(분) k	g/omi		체내 가스압	작업간 가스 감소	작업후 가스 감소	제2회
kg/cm²			1.62		1.5	1.2	0.9	0.6	0.3	계수	시간 (분)	시간 (분)	시간 (분)
			30분	이하					1	1.2	30	30	330
	304	초과	60	"					1	1.4	30	30	300
1.0	60	#	90	"					1	1.5	30	30	270
초과	90	"	120	"					1	1.6	30	30	240
	120	"	150	"					2	1.7	60	30	210
1.2	150	"	180	"					3	1.8	60	30	180
이하	180	"	210	//					4	1.9	60	30	150
	210	"	240	"					5	1.9	60	30	120
	240	//	270	"					5	2.0	150	45	90
	270	"	300	"					6	2.0	150	45	60
	300	"	330	"					6	2.1	150	45	30
	330	"	360	"					7	2.1	150	45	0
			30분	이하			7		1	1.3	30	30	300
	30₺	초과	60	"					1	1.5	30	30	270
1.2	60	11	90	"					1	1.6	30	30	240
초과	90	"	120	"					3	1.7	60	30	210
	120	"	150	"					5	1.8	60	30	180
1.4	150	"	180	"					6	1.9	60	30	150
이하	180	"	210	//					8	2.0	60	30	120
	210	11	240	"					10	2.0	60	30	90
	240	11.	270	11					10	2.1	150	45	60
	270	"	300	"					10	2.1	150	45	30
	300	"	330	"					12	2.2	150	45	0
			30분	이하					1	1.3	30	30	270
	30	<u>!</u> 초과	60	"					1	1.5	30	30	240
1.4	60	"	90	"					3	1.7	60	30	210
초과	90	H	120	"					5	1.8	60	30	180
	120	"	150	"					7	1.9	60	30	150
1.6	150	"	180	"					9	2.0	60	30	120
이하	180	"	210	"					11	2.1	90	45	90
	210	"	240	"					15	2.2	150	45	60
	240	//	270	"					18	2.2	150	45	30
	270	11	300	//					23	2.2	150	45	0

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

[Ministry of Employment and Labor Notification No. 2014-28, Partial

Revision]

압력	79	갑시간		감압	l(분) k	g/ani		체내가스압	작업간 가스 감소	작업후 가스 감소	제2회 고압
kg/cm			1.5	1.2	0.9	0.6	0.3	계수	시간 (분)	시간 (분)	시간 (분)
	rs.Acces	30분이하					1	1.3	30	30	270
	30분초:	과 60 "					5	1.6	30	30	240
1.6	60 "	90 "					9	1.8	60	30	210
초과	90 "	120 "					13	1.9	60	30	180
	120 "	150 "				2	15	2.0	60	30	150
1.8	150 "	180 "				5	20	2.1	90	45	120
이하	180 "	210 "				8	25	2.1	90	45	90
	210 "	240 "				9	30	2.2	150	45	60
	240 "	270 "				10	35	2.2	150	45	30
	270 "	300 "				17	35	2.2	150	45	(
		30분이하					1	1.4	30	30	240
	30분초:	라 60 //					8	1.6	30	30	210
1.8	60 "	90 //					16	1.8	60	30	180
초과	90 "	120 "				7	15	2.0	60	30	150
	120 "	150 "				9	20	2.1	90	45	120
2.0	150 "	180 "				11	30	2.1	90	45	90
이하	180 "	210 "				15	35	2.2	150	45	60
	210 "	240 "				20	40	2.2	150	45	30
	240 "	270 "				25	45	2.2	150	45	(
		30분이하					1	1.4	30	30	240
	30분초:	라 60 "					11	1.7	60	30	210
2.0	60 "	90 //				8	15	1.9	60	30	180
초과	90 "	120 "				12	20	2.0	90	30	150
	120 "	150 "				15	30	2.1	90	45	120
2.2	150 "	180 "				23	40	2.1	90	45	90
이하	180 "	210 "				25	45	2.2	150	45	60
	210 "	240 "				30	50	2.2	150	45	30
	240 "	270 "				31	60	2.2	150	45	(
		30분이하					1	1.4	30	30	210
	30분초:	라 60 "					14	1.7	60	30	180
2.2	60 "	90 //				8	20	1.9	60	30	150
초과	90 "	120 "				18	30	2.0	90	30	120
	120 "	150 "				26	35	2.1	120	45	90
2.4	150 "	180 "			5	30	40	2.1	150	45	60
이하	180 "	210 "			10	30	50	2.2	150	45	30
	210 "	240 "			14	30	60	2.2	150	45	(

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

Rev	is	io	n]
			-

압력		고압시	リフト			감압	l(분) kp	g/cm²		체내 가스압	작업간 가스 감소	작업후 가스 감소	제2회 고압
kg/cm²	,	T-13.	1712		1.5	1.2	0.9	0.6	0.3	계수	시간 (분)	시간 (분)	시간 (분)
			30분	이하					1	1.5	30	30	210
	304	基本 과	60	"					20	1.8	60	30	180
2.4	60	"	90	"				13	25	2.0	90	30	150
圣과	90	"	120	"				19	35	2.1	120	45	120
	120	"	150	"				33	45	2.1	120	45	90
2.6	150	"	180	"			6	35	50	2.2	150	45	60
이하	180	"	210	"			15	35	55	2.2	150	45	30
	210	"	240	"			18	35	65	2.2	150	45	0
	8		30분	이하					2	1.5	30	30	180
2.6	304	·	60	"				10	15	1.8	60	30	150
초과	60	"	90	"				17	30	2.0	90	30	120
	90	"	120	"				25	35	2.1	120	45	90
2.8	120	"	150	"			9	30	45	2.2	150	45	60
이하	150	"	180	"			15	35	55	2.2	150	45	30
	180	"	210	"			16	40	60	2.2	150	45	0
			15분	이하					2	1.3	30	30	165
	15	후초과	30	"					5	1.5	30	30	150
	30	"	45	"				3	15	1.7	60	45	135
2.8	45	"	60	"				13	20	1.9	60	45	120
 全	60	"	75	"				18	30	2.0	90	45	105
	75	"	90	"			4	20	40	2.0	90	45	90
3.0	90	"	105	"			11	25	40	2.1	120	45	75
이하	105	"	120	"			13	30	45	2.1	120	45	60
	120	"	135	"			15	35	45	2.2	150	60	45
	135	"	150	"			18	35	50	2.2	150	60	30
	150	"	165	"			23	35	55	2.2	150	60	15
	165	"	180	"			20	40	60	2.2	150	60	0
	180	//	195	"			24	40	65	2.2	150	60	15
	195	"	210	"			26	40	75	2.2		60	2

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

[Ministry of Employment and Labor Notification No. 2014-28, Partial

Revision]

압력		고압/	ルレフト			감입	(분) kg	g/cm²		체내가스압	작업간 가스 감소	작업후 가스 감소	제2회 고압
kg/cm²		T- 13			1.5	1.2	0.9	0.6	0.3	계수	시간 (분)	시간 (분)	시간 (분)
			15분	이하					2	1.3	30	30	180
	15₺	<u></u> 초과	30	"					9	1.6	30	30	165
3.0	30	"	45	"				11	15	1.8	60	45	150
초과	45	"	60	"				18	25	1.9	60	45	135
	60	"	75	11			69555	25	35	2.0	90	45	120
3.2	75	"	90	"			10	25	40	2.0	90	45	105
이하	90	"	105	"			12	30	45	2.1	120	45	90
	105	"	120	"			15	35	50	2.1	150	60	75
	120	"	135	"			20	40	60	2.2	150	60	60
	135	"	150	"			20	40	60	2.2	150	60	45
	150	"	165	"			22	40	65	2.2	150	60	30
	165	u	180	"			25	40	70	2.2	150	60	15
	180	"	195	"		5	25	40	75	2.2		60	(
			15분	이하					2	1.4	60	30	165
	15분	*소과	30	"					13	1.6	60	30	150
3.2	30	"	45	"				14	20	1.8	90	45	135
초과	45	"	60	//			7-6-2	21	30	1.9	90	45	120
	60	"	75	"			13	25	35	2.0	120	45	105
3.4	75	"	90	"			15	35	45	2.1	120	45	90
이하	90	"	105	"		5	15	35	55	2.1	102	45	75
	105	"	120	"		9	15	40	60	2.1	150	60	60
	120	"	135	"		10	20	40	65	2.1	150	60	45
	135	u	150	"		12	25	40	65	2.2	150	60	30
	150	#	165	11		14	25	40	70	2.2	150	60	15
	165	"	180			16	25	40	75	2.2		60	(
	-		15분	이하					2	1.4	60	30	150
	15분	之斗	30	"					17	1.6	60	30	135
3.4	30	"	45	"				15	25	1.8	90	45	120
초과	45	"	60	"			5	20	35	2.0	120	45	105
	60	"	75	"			11	25	50	2.0	120	45	90
3.6	75	"	90	"			18	30	60	2.0	120	45	75
이하	90	"	105	"			25	35	65	2.1	150	60	60
	105	"	120	"		9	25	40	65	2.1	150	60	45
	120	"	135	"		14	25	40	70	2.2	150	60	30
	135	#	150	"		16	25	40	75	2.2	150	60	15
	150	"	165	11		18	25	40	80	2.2		60	(

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

_	•	•	-
Rev	/IC	:IO	nl
	,,,		,

압력		고압	ハフト			감압	(분) kg	g/cmi		체내 가스압	작업간 가스 감소	작업후 가스 감소	제2회 고압
kg/cm²		- H	74		1.5	1.2	0.9	0.6	0.3	계수	시간 (분)	시간 (분)	시간 (분)
			15분	이하					2	1.4	60	30	135
	15	是圣과	30	"					21	1.7	90	45	120
3.6	30	"	45	"				20	25	1.9	90	45	105
초과	45	"	60	"			9	25	35	2.0	120	45	90
	60	11	75	"		5	15	30	50	2.0	120	45	75
3.8	75	"	90	"		12	20	30	60	2.1	120	45	60
이하	90	"	105	"		14	25	35	65	2.1	150	60	45
	105	"	120	"	5	15	25	35	70	2.1	150	60	30
	120	"	135	"	8	20	25	35	70	2.2	150	60	15
	135	"	150	"	11	20	25	40	70	2.2		60	0
	3		15분	이하					2	1.4	60	30	45
	15	분초과	30	"					25	1.7	90	45	30
3.8	30	"	45	"				15	35	1.9	90	45	15
圣 과	45	"	60	//			12	20	45	2.0	120	45	0
	60	"	75	"		7	20	30	55	2.0	120	45	60
4.0	75	"	90	"		15	20	35	65	2.1	150	60	45
이하	90	"	105	"	7	15	20	35	70	2.1	150	60	30
	105	"	120	"	11	15	25	35	70	2.2	150	60	15
	120	11	135	"	11	20	25	40	70	2.2		60	0
					32555				2454			850.50	

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

[Ministry of Employment and Labor Notification No. 2014-28, Partial

Revision]

[별표 2]

고압실내작업 및 잠수작업

255,000	잠		7 OF	11 7			24	감	압	(분) 1	kg/cm²	10		-31×11	작업	작업 후
압력	수	-	고 압	시신		2.4	2.1	1.8	1.5	1.2	0.9	0.6	0.3	체내 가스	작업 간 가스	フトム
(kg/cm²	심도			.1	2			부		상	(분)			압계	감소	감소
_ ^	m	1	삼수	시 긴		24m	21m	18m	15m	12m	9m	6m	3m	수	시간 (분)	감소 시간 (분)
	1535011			10분	이하					25 15				1.1	30	30
10	10	10%	产圣과	30	"									1.2	30	30
1.0	초 과	30	"	60	"									1.4	30	30
		60	"	90	"									1.5	30	30
		90	"	120	"									1.6	30	30
1.2 이하	12	120	"	180	"								3	1.8	60	30
olot	하	180	"	240	"								5	1.9	60	30
	- 17	240	"	360	"								7	2.1	150	60
				10분	이하					0				1.1	30	30
		10	产之小	30	"									1.3	30	30
	12	30	"	60	11									1.5	30	30
1.2 초과	초 과	60	//	90	"									1.6	30	30
李村	4	90	"	120	"								4	1.7	60	30
		120	"	150	"								6	1.8	60	30
1.4	14	150	"	180	"								7	1.9	60	30
이하	하	180	"	210	"								9	2.0	60	30
	9	210	"	240	"								10	2.0	150	60
		240	"	360	"								12	2.1	150	60
				10분	이하									1.1	30	30
		105	- 초과											1.3	30	30
	14	30	"	60	"									1.4	30	30
1.4	主	60	"	90	"									1.6	30	30
초과	과	90	"	120	"								3	1.7	60	30
		120	"	150	"								6	1.8	60	30
16	16	150	"	180	"								9	1.9	60	30
이하	이하	180	"	210	"								12	2.0	60	30
	of	210	"	270	"								13	2.1	150	60
		240	"	360									17	2.2	150	60

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

_	•	•	-
Rev	١S	IO	nı
	•••		,

	잠	-	교 압	al 71				감	압	(분)	kg/cm²			체내	작업 간	작업 후
압력	수	-	E H	01.32		2.4	2.1	1.8	1.5	1.2	0.9	0.6	0.3	가스	가스 가스	우 가스
(kg/cm²	심도	_	1.4	.1 7				부		상	(분)			압계	감소 시간	감소 시간
	m	1	함 수	^I {!		24m	21m	18m	15m	12m	9m	6m	3m	수	(분)	(분)
				10분	이하									1.1	30	30
		10	분초과	25	"									1.3	30	30
	16	25	"	40	"									1.4	30	30
1.6 主과	초과	40	"	55	"									1.5	30	30
224	-1	55	"	75	"								2	1.7	60	30
	0220	75	"	105	"								11	1.8	60	30
1.8 이하	18 ol	105	"	135	"								16	1.9	60	30
0101	하	135	"	150	"							4	16	2.0	60	30
		150	"	180	"							7	16	2.1	150	60
		180	"	240	"							9	21	2.2	150	60
				10분	이하					1				1.2	30	30
		10분	产之과	25	"									1.3	30	30
	18	25	"	35	"									1.4	30	30
1.8 초과	초과	35	"	50	"									1.5	30	30
2.4	-1	50	"	65	"								9	1.6	30	30
200	022	65	"	95	"								16	1.8	60	30
20 이하	20 ol	95	"	115	"							7	16	1.9	60	30
olol	하	115	"	135	"							10	16	2.0	60	30
	7.5	135	"	165	"							15	27	2.1	150	60
		165	"	225	"							18	34	2.2	150	60
				15분	이하									1.2	30	30
		15 	生主中	30	"									1.4	30	30
1220	20	30	"	42	"									1.5	30	30
20 초과	초과	42	"	60	"								7	1.7	60	30
工村	4	60	"	75	"								16	1.8	60	30
		75	"	85								5	16	1.8	60	30
22 이하	22	85	"		"							12	16	1.9	60	30
olot	하	100	"		"							17	22	2.0	60	30
		120	"	150	"							21	29	2.1	150	60
		150	"	210								25	39	2.2	150	60

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

	잠		- ol-	ור וג	. [감	압	(분)	kg/cm²			-0.0	작업 간사소(분) 30 30 30 60 60 90 150 30 30 30 60 60 90 150 150 150	작업 후
압력	宁	د	고 압	^ (!		2.4	2.1	1.8	1.5	1.2	0.9	0.6	0.3	체내 가스	간	후 가스
(kg/cm²	심도	Ġ.						부		70,355	(분)			압계	감소	감소
	m	7	함수	시 긴		24m	21m	18m	15m	12m	9m	6m	3m	수	시간 (분)	감소 시간 (분)
				10분	이하									1.2		30
		10분	후조과	25	"									1.4	30	30
	22 主	25	"	37	"									1.5	30	30
22 초과	조과	37	"	50	"								6	1.6	30	30
25-4	-4	50	"	58	"								14	1.7	60	30
		58	"	75	"							16	14	1.8	60	30
24 이하	24	75	"	90	"							18	16	1.9	60	30
olot	하	90	"	108	"							21	22	2.0	90	30
	i.	108	"	145	#							27	32	2.1	150	60
		145	"	180	"							29	41	2.2	150	60
				10분	이하									1.2	30	30
		10-5	호과	20	"									1.3	30	30
	24	20	"	32	11									1.5	30	30
24 초과	초과	32	"	45	"								7	1.6	30	30
224	-4	45	"	55	"								6	1.7	60	30
rages.	90000	55	"	65	"							8	16	1.8	60	30
26	26	65	"	80	"							18	16	1.9	60	30
이하	하	80	"	100	"							26	22	2.0	90	30
	1	100	"	110	"							27	25	2.0	150	60
		110	"	160	"							29	41	2.2	150	60
		1		10분	이하									1.2	30	30
		10분	全斗	20	"									1.4	30	30
	26	20	"	28	"									1.5	30	30
26	主	28	"	40	"								6	1.6	30	30
초과	과	40	"	44	"								11	1.6	30	30
		44	"	49	11								16	1.7	60	30
28	28	49	"	60	"							11	16	1.8	60	30
이하	0	60	"	70	"							18	22	1.9	60	30
583	하	70	"	90	"							27	22	2.0	90	30
		90	"	110	"						8	27	29	2.1	150	60
		110	"	140	"						13	29	41	2.2	150	60

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

	잠 수	-	고 압	A) 7}			감	압	(분)	kg/cm²			체내	작업 간	작업 후
압력	수		- и	01 34	2.4	2.1	1.8	1.5	1.2	0.9	0.6	0.3	가스	쑈	우 가스
(kg/cm²	심도			.1 -1			부		상	(분)			압계	감소	감소 시간
	m	1	참 수	시 간	24m	21m	18m	15m	12m	9m	6m	3m	수	시간 (분)	(분)
				10분이하	-								1.2	30	30
		10	生主斗	20 "									1.4	30	30
	20	20	"	25 "									1.5	30	30
28	28	25	"	35 //								4	1.6	30	30
초과	과	35	"	39 //								10	1.6	30	30
		39	"	44 //								16	1.7	60	30
		44	"	50 "							8	16	1.8	60	30
30	30	50	"	60 //							16	16	1.8	60	30
이하	이하	60	"	78 //							27	22	1.9	90	30
	9	78	"	85 "						5	27	22	2.0	90	30
		85	"	105 "						12	27	32	2.1	150	60
		105	"	130 "						17	29	48	2.2	150	60
				10분이하									1.2	30	30
		10	产圣과	22 "	1								1.4	30	30
	30	22	"	30 //								8	1.5	30	30
3.0	主	30	"	35 "								14	1.6	30	30
초과	과	35	"	40 //								22	1.6	30	30
		40	"	46 //							9	22	1.7	60	45
3.2	32	46	"	53 "							16	22	1.8	60	45
이하	0]	53	"	68 //							27	22	2.0	90	45
510	하	68	"	79 //						7	27	33	2.0	90	45
		79	"	100 "						17	27	48	2.1	150	60
		100	"	120 "						21	27	55	2.1	150	60
				10분이하	H								1.2	30	30
		10	产主斗	19 "									1.4	30	30
	32	19	"	27 //								7	1.5	30	30
3.2	主	27	"	31 "								22	1.6	30	30
초과	과	31	"	36 "								22	1.7	60	45
		36	"	41 //							8	22	1.7	60	45
3.4	34	41	"	48 //							16	22	1.8	60	45
이하	0	48	"	60 "							27	22	1.9	90	45
1-1	하	60	"	73 //						10	27	37	2.0	120	45
		73	"	95 //						19	27	63	2.0	150	60
		95	"	115 "					5	22	32	74	2.0	150	60

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

	잠	-	고 아 시 자			감 압 (분) kg/cm²								작업	작업 후	
압력	수	5 - H - 1 - 12		2.4	2.1	1.8	1.5	1.2	0.9	0.6	0.3	체내 가스	작업 간 가스	무가스		
(kg/cm²	심도		5. 8.8 1				부		상	(분)			압계	감소	감소	
	m	7	수 생	시긴		24m	21m	18m	15m	12m	9m	6m	3m	수	시간 (분)	가스 감소 시간 (분)
				5분	이하									1.2	30	30
		5₹	之子	17	"									1.4	30	30
	34	17	"	25	"								8	1.5	30	30
3.4	主	25	11	29	#								14	1.6	30	30
초과	과	29	"	33	"								22	1.6	30	30
		33	"	38	"							9	22	1.7	90	45
3.6	36	38	"	43	"							16	22	1.8	90	45
이하	0	43	"	55	"							27	22	1.9	90	45
	하	55	"	67	"						10	27	34	2.0	120	45
		67	"	90	//						22	27	63	2.0	150	60
		90	"	110	"					9	22	34	80	2.0	150	60
				5분	이하									1.2	30	30
		5₺	老과	15	"									1.4	30	30
	36	15	"	22	"								5	1.5	30	30
3.6	垄	22	"	26	"								14	1.6	30	30
	과	26	"	30	"								22	1.6	30	30
		30	"	34	"							9	22	1.7	90	45
3.8	38	34	"	40	"							17	22	1.8	90	45
이하	0	40	"	50	"							27	22	1.9	90	45
2000	하	50	#	62	//						12	27	34	2.0	120	45
		62	"	85	"					4	22	27	67	2.0	150	60
		85	"	105	"					12	22	36	83	2.0	150	60
				5분	이하									1.2	30	30
		5₺	초과	15	"									1.4	30	30
*SMSTAR	38	15	"	20	"								3	1.5	30	30
3.8	主	20	"	24	//								14	1.6	30	30
초과	과	24	"	28	"								22	1.6	30	30
		28	"	32	"							9	22	1.7	90	45
4.0	40	32	"	37	"							18	22	1.8	90	45
이하	이	37	"	46	"							27	22	1.9	90	45
	하	46	"	58	"						14	27	28	2.0	120	45
		58	"	80	"					6	22	27	68	2.0	150	60
		80	11	100	"					16	22	36	82	2.0	150	60

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

_	•	•	-
Rev	115	SIO	ni
		"	•••

압력 (kg/cm²)	잠 수 심 도 m		- H -	J 41				감		체내	작업	-1 H				
)	도	7		고 압 시 간		2.4	2.1	1.8	1.5	1.2	0.9	0.6	0.3	게 내 가스	간 가스	작업 후 가스
	m		1.4	al 71.				부		상	(분)			압계	감소 시간	감소 시간 (분)
	$\overline{}$	£	수 선	1 11		24m	21m	18m	15m	12m	9m	6m	3m	수	(분)	(분)
				13분석	이하								2	1.4	60	30
		13분	之과	16	"								4	1.4	60	30
	40	16	"	21	"								11	1.5	60	30
4.0 초과	초 과 21	21	"	26	"								22	1.6	60	30
3.H	-17	26	"	29	"							9	22	1.7	90	45
4.2 42		29	"	35	"							14	22	1.8	90	45
	42 ol	35	"	42	"							27	28	1.8	90	45
101	하	42	"	55	"						15	27	34	2.0	120	45
		55	"	72	"					8	22	27	65	1.9	150	60
		75	"	95	"					16	22	36	80	2.0	150	60
\neg				10분여	이하								2	1.4	60	30
		10분	-	14									8	1.4	60	30
42 4.2 主	42	14	"	20	"								14	1.6	60	30
초과	과	20	"	24	"								22	1.6	60	30
		24	"	30	"							15	28	1.6	60	30
4.4	이 3	30	"	37	"							27	28	1.8	90	45
이하		37	"	50	"						16	27	34	2.0	120	45
		50	"	70	"					11	22	27	68	2.0	150	60
		70	"	90	"				4	19	22	30	107	2.0	150	60
				8분	이하						******		2	1.3	60	30
		8분	·초과	12	100								8	1.4	60	30
4.5	45 主	12	"	16									16	1.5	60	30
3 *	과	16	"		"								28	1.6	60	30
3754377	2.5	20	"		"							16	28	1.7	90	45
5.0	50	26	"		"							27	28	1.8	90	45
이하	0	33	"		"						18	27	31	2.0	120	45
	하	43	"		"					13	23	27	68	2.0	150	60
		60	"	80					9	19	22	45	85	2.0	150	60

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

_	•	•	-
Re۱	/IS	310	nı

	잠	고 압 시 간				감		체내	작업 간	작업 후													
압력 (kg/cm²	수시			2.4	2.1	1.8	1.5	1.2	0.9	0.6	0.3	가스	간	우 가스									
	심도	카스			부 상 (분)								감소	감소									
	m	잠 수	1 (t	24m	21m	18m	15m	12m	9m	6m	3m	수	시간 (분)	시간 (분)									
			6분이하								2	1.3	60	30									
		6분초과	10 "								7	1.4	60	30									
	50	10 "	12 "								17	1.5	60	30									
5.0 초과	초과		12 "	14 "								27	1.5	60	30								
33.44			8590	14 "	17 "								36	1.6	60	45							
		17 "	21 "							14	36	1.7	90	45									
5.5	55 이 하		21 "	27 //							27	36	1.8	90	45								
1.01		27 "	37 "						18	27	44	1.9	90	45									
	3,5653	37 "	55 "			6	20	24	28	65	65	1.9	150	60									
		55 "	75 "		8	18	20	24	49	90	73	1.9	150	60									
	EE		5분이하								2	1.3	60	30									
5.5	55 초	5분초과	10 "								6	1.5	60	30									
초과	과	10 "	15 "								36	1.5	60	30									
		15 "	24 //							23	36	1.8	90	45									
6.0	60	24 "	33 "						16	27	42	1.9	90	45									
이하	이	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	33 "	50 "			9	20	24	27	65	70	1.9	150	60
	하	50 "	70 "		14	18	20	24	50	100	73	1.9	150	60									
Todatests	60		5분이하								5	1.3	60	30									
6.0 초과	主	5분초과	12 "								32	1.5	60	30									
±4	과	12 "	21 "							23	36	1.7	90	45									
	65	21 "	30 "				2	24	28	35	45	1.9	90	45									
6.5 이하	0	30 "	45 //			6	20	24	28	56	73	1.9	150	60									
-101	하	45 "	65 "	4	16	18	20	26	53	90	73	1.9	150	60									
	65		5분이하								10	1.4	60	30									
6.5	主	5분초과	11 "								34	1.5	60	30									
초과	과	11 "	18 "							25	36	1.7	90	45									
7.0	70	18 "	27 "				4	24	28	35	45	1.9	90	45									
이하	0	27 "	40 "			12	20	24	28	65	95	1.8	150	60									
2000	하	40 "	60 "	8	16	17	20	27	52	95	105	1.8	150	60									

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

_	•	•	-
Rev	ıc	10	nı
176	13	ı	
			_

	잠	고 압 시 간		감 압 (분) kg/cm²									작업 간	작업				
압력	仝			2.4 2	2.1	1.8	1.5 1.2		0.9	0.6	0.3	체내가스	가스	후가스				
(kg/cm²	심도		1. 4.	1 -1				부		상	(분)			압계	감소 시간 (분)	감소 시간 (분)		
<u> </u>	m			1	참 수 /	1 1		24m	21m	18m	15m	12m	9m	6m	3m	수	(是)	(분)
	70			5분	이하								16	1.5	60	30		
7.0	之	5	生圣斗	10	"							8	35	1.6	60	30		
초과	과	10	"	15	"							28	35	1.7	90	45		
8.0	80	15	"	22	"				7	24	28	37	51	1.8	90	45		
이하 이		22	"	35	"			18	20	24	30	65	100	1.8	150	60		
	10	35	"	50	"	12	16	18	20	28	32	95	105	1.8	150	60		
	80		5	분이	하								30	1.5	60	30		
8.0 3	2	5	基本	10	"							20	35	1.7	90	45		
	과	10	"	15	"						14	28	35	1.8	90	45		
9.0	90	15	"	20	"				13	24	28	44	51	1.9	90	45		
이하	하	20	"	30	"			18	20	24	29	65	100	1.8	150	60		
		30	"	40	"	12	16	18	20	24	49	90	105	1.8	150	60		

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

[Ministry of Employment and Labor Notification No. 2014-28, Partial Revision]

【별표 3】

고압실내작업 및 잠수작업 수정시간

- 1. 고압실내작업 수정시간은 다음방식에 의해 구한다.
 - 1) 작업자가 제1회에 작업한 고압실내압력 및 고압시간을 기준으로 하여 별표 1 또는 별표 2에서 구한 "체내가스압계수"의 수치를 [그림 1]의 ②선상에 잡는다.
 - 2) 고압시간에 의해 할당된 고압실내작업자의 "작업간 가스압감소시 간"의 수치를 [그림 1]의 ④의 선상에 잡는다.
 - 3) 상기 1) 및 2)로 구한점을 직선으로 맺고 그 선과 ③의 선과 만나는 점을 구한다.
 - 4) 당해 고압실내작업의 압력에 대한 점을 ①의 선상에 잡고 이것과 상기에서 구한 ③의 점을 직선으로 맺고 그 선과 ⑤의 선과 만나는 점을 구한다.
 - 5) 상기 4)에 구한점의 수치를 고압실내작업 수정시간으로 한다.
 - 6) 제3회의 고압실내작업에 근로자가 종사하는 때에는 제2회의 고압 시간에서 상기 1)로 부터 5)로 구한 고압실내작업 수정시간을 가산한 수치를 총 고압시간으로 하여 1)로부터 5)의 방식으로 구한 수치를 고압실내작업 수정시간으로 한다. 이하, 고압실내작업이 증가되는 경우에는 상기의 방식을 반영하여 구한 수치를 당해 회의 고압실내 작업 수정시간으로 한다.
- 2. 잠수작업 수정시간을 구하는 방식은 상기 1의 고압실내작업수정시간을 구하는 방식을 준용한다.
 - 이 경우 "고압실내작업자"는 "잠수작업자"로, "고압실내작업"은 "잠수작업"으로, 고압실내 "압력"은 "잠수심도"로, "고압시간"은 "잠수시간"으로 읽는다.

[시행 2014. 8. 1.] [고용노동부고시 제 2014-28 호, 2014. 8. 1., 일부개정]

Standards for High-Pressure Work

[Effective Date: August 1, 2014]

